


TRAINING MODULE APOGEE PREPRESS 8.0

EXPORTING DOCUMENTS

Sample



7. Export flattened results

1. Open the ticket [\[13-Export-Flatten.ait\]](#) and select the “Transparency flattening” and the “Apply Color Settings” Apogee Preflight Action Lists in the Export Flattened Flow.

This flow will export PDF pages without any Transparencies and using the Color Settings as defined in the Main Flow.


The screenshot displays the Apogee Preflight software interface. At the top, a workflow diagram shows a sequence of steps: ORDER_JOB, Initial, auto, Undefined, Initial, KEEP, Initial, Initial, 650 X 550, 650 X 500, and Small Press. A branch leads to 'Export Original' (Original) and then to a second sequence: ResolveTrans..., Flattened, Initial, <Small Press>, Initial, Initial, <Small Press>, <Small Press>, and <Small Press>. The 'ResolveTrans...' step is highlighted with a red box. Below the workflow, the 'Apogee Preflight' dropdown is set to 'ResolveTransparencies'. The 'Action Lists' panel is open, showing a list of categories on the left and a list of action lists on the right. The 'ap_Apply Color settings', 'ap_Transparency flattening', and 'Hairline = .25pts' action lists are checked and highlighted with a red box.

Category	Count
All	3/93
Color management	1/9
Digital Printer specific	0/2
Down sampling	0/7
Overprint	0/10
PDF processing	1/16
SISR	0/5
Standard	1/17
State	
Any	
On	3
Off	90

Action List	Description
<input checked="" type="checkbox"/> ap_Apply Color settings	This action list will convert the document to the press profile and apply the PDFRender separate and render settings and the output device image settings. These settings can also be defined by a Preflight action resource.
<input checked="" type="checkbox"/> ap_Transparency flattening	This actionlist will flatten the PDF file and remove all transparency.
<input checked="" type="checkbox"/> Hairline = .25pts	This action list ensures that all line art uses a minimum linewidth (.25pts) in your documents.

2. Submit the ticket and drag the [\[Transparency.pdf\]](#) file on the job (Ordernumber: 7 – Jobname: Flattening).

- Open the “Original.pdf” file from “Exportroot\Export Training\7” in Acrobat and use Acrobat Preflight (Tools > Print Production) to List transparent objects.




- Do the same test for the “Flattened.pdf” export result.

 [Resolving Transparencies](#)

8. Export PDF/X files

1. Open the ticket [\[14-PDFX-4.ajt\]](#) and select the Apogee Preflight TP in front of the Export TP.

The selected Apogee Preflight Job Profile “PDF X-4” defines the exported PDF format.



This document is only a preview of the training module.

If you would like to obtain more information about this training module, please contact your local Agfa sales or service representative.

Worldwide addresses of our local Agfa representatives can be found on our Agfa Graphics website:
http://www.agfagraphics.com/global/en/maings/about_us/worldwide/index.jsp

2. Submit the ticket and drag the [\[Apogee PDFProof-4Pages.pdf\]](#) to the "Exportroot\Export Training" folder.
3. Open the “PDFX-4.pdf” file from the “Exportroot\Export Training” folder and verify that the file is compliant to the PDF/X-4 specification (Tools > PitStop Process > Preflight Profiles – Standard – Standard PDFX Profiles – PDF/X-4 Verify).